IN THE CLAIMS:

Please cancel original application claims 1-45 and replace them with the following new claims:

-- 46. (New) A process for the polymerization of wood cellulose, comprising:

providing a solution containing an organic solvent and one or more molecules selected from R-Xa-Xb₃ or R₃-Xa-Xb, wherein R is an alkyl group, Xa is a trivalent, tetravalent or pentavalent atom, and Xb is a halogen, a hydroxyl group, an alkoxy group, a phenoxy group, a benzyloxy group or an aryloxy group with a polycyclic aromatic ring;

applying said solution to wood cellulose and,

exothermically reacting said one or more molecules with said wood cellulose wherein said one or more molecules are cross-linked to the wood cellulose through one or more of the hydroxyl groups on the wood cellulose.

- 47. (New) A process according to claim 46, wherein the one or more molecules are hydrolyzed prior to being cross-linked to the hydroxyl groups of said wood cellulose.
- 48. (New) The process according to claim 46, wherein said organic solvent is water compatible.
- 49. (New) The process according to claim 48, wherein said one or more molecules undergo hydrolysis before being cross-linked to the wood cellulose.

- 50. (New) The process according to claim 46, wherein said exothermic reaction is initiated by a catalyst.
 - 51. (New) The process according to claim 50, wherein said catalyst is an acid.
- 52. (New) The process according to claim 51, wherein said acid is a hydrolysis product of said one or more molecules.
- 53. (New) A process as recited in claim 46, wherein the solution is from 0.1% to 5% acid.
- 54. (New) A process as recited in claim 51, wherein said acid is about 0.5% of said solution by volume.
- 55. (New) The process according to claim 48, further comprising adding water to the solution.
 - 56. (New) The process according to claim 50, wherein said catalyst is a base.
- 57. (New) The process according to claim 48, further comprising adding water to the wood cellulose.

Amendment

- 58. (New) The process according to claim 46, wherein said one or more molecules includes (CH₃)₃SiCl.
- 59. (New) The process according to claim 46, wherein said one or more molecules includes CH₃SiCl₃.
- 60. (New) A process as recited in claim 46, where the concentration of said one or more molecules in total solution is within the range of 0.1% to 9% by weight.
- 61. (New) A process as recited in claim 48, wherein the organic solvent has a boiling point under 100°C.
- 62. (New) A process as recited in claim 46, wherein 0.1% to 10% of the hydroxyl groups on the wood cellulose are replaced by said at least one molecule.
- 63. (New) The process according to claim 46, wherein said solution contains an aqueous component.
- 64. (New) The process according to claim 46, wherein said solution additionally contains R_2SiX_2 , wherein R is as defined above, and X is halogen, an alkoxy group, an aryloxy group or a benzyloxy group.

Appln. Ser. No.: <u>09/885,642</u> Docket No. <u>4355-4001</u>

Amendment

65. (New) A process for polymerization of wood cellulose, comprising:

providing a solution containing one or more molecules selected from R-Xa-Xb₃ or R₃-Xa-Xb, wherein R is an alkyl group, Xa is a trivalent, tetravalent or pentavalent atom, and Xb is a halogen, hydroxyl group, an alkoxy group, a phenoxy group, a benzyloxy group or an aryloxy group with a polycyclic aromatic ring, and an organic solvent having a boiling point of less than 100°C;

applying said solution to wood cellulose; and

exothermically reacting said one or more molecules with said wood cellulose wherein said one or more molecules are cross-linked to the wood cellulose through one or more of the hydroxyl groups on the wood cellulose.

- 66. (New) The process according to claim 65, wherein said one or more molecules undergo hydrolysis before being cross-linked to the wood cellulose.
- 67. (New) The process according to claim 65, wherein said exothermic reaction is initiated by a catalyst.
 - 68. (New) The process according to claim 67, wherein said catalyst is an acid.
- 69. (New) The process according to claim 65, wherein said one or more molecules includes (CH₃)₃SiCl.